

The `dottex` package*

Lars Kotthoff
lars@larsko.org

August 22, 2007

1 Introduction

This package allows you to include `dot` and `neato` graphs in your \LaTeX documents.

The `dot/neato` code is extracted from the document and written to `.dot/.neato` files. Then, if shell escape is used, the graph files are automatically processed and converted to PostScript files, which will then be included. If shell escape isn't used, the user will have to manually convert the files.

Shell escape is available in the web2c \TeX compiler, it allows the execution of shell code during the compilation of a \TeX document. It's disabled by default, you'll have to edit your configuration files or give the `-shell-escape` option to `latex`. A check is performed whether shell escape really works, so you might get warnings that the `.dot/.neato` files need to be converted manually although you enabled shell escape.

2 Requirements

To use `dottex`, you'll need the `graphicx`, `keyval` and `moreverb` packages, `ps2pdf` if you want to use the `pdf` option, and of course, `dot / neato` of the `Graphviz` package. All the binaries need to be in your `PATH`, i.e. you should be able to call them without specifying the absolute path to the binary.

3 Usage

To load the package, simply `\usepackage{dottex}` in your document preamble. Options that can be passed to the package are

[`<shell>`] Use shell escape to automatically generate the graphs from the `dot` source files. This is the default. Normally, you don't need to specify it.

[`<noshell>`] Don't use shell escape, graphs must be generated manually.

[`<miktex>`] We're using `mikTeX`.

[`<pdf>`] PDF output, generate `.pdf` files of the graphs out of `.ps`.

The following environments can be used to include graphs:

`dotpic` Within this environment, you can specify arbitrary dot code, for example

```
a -> b;  
b -> a;
```

The `digraph` preamble and the surrounding braces are inserted automatically.

`neatopic` Within this environment, you can specify arbitrary neato code, for example

```
a -- b;  
b -- a;
```

The `graph` preamble and the surrounding braces are inserted automatically.

For both environments, you may specify width or height of the picture using `[width=<width>]` or `[height=<height>]` as in the `includegraphics` command.

4 Acknowledgements

Thanks to Klaus Storch for several suggestions to improve the MikTeX compatibility.

5 Implementation

5.1 Initialization

```
1 \newif\ifShellEscape  
2 \newif\ifmiktex \miktexfalse  
3 \newif\ifpdf \pdffalse  
4  
5 \DeclareOption{shell}{\ShellEscapetrue}  
6 \DeclareOption{noshell}{\ShellEscapefalse}  
7 \DeclareOption{miktex}{\global\miktextrue}  
8 \DeclareOption{pdf}{\pdftrue}  
9  
10 \ExecuteOptions{shell}  
11 \ProcessOptions\relax  
12 %% test if shell escape really works  
13 \ifShellEscape  
14   \def\tmpfile{/tmp/w18-test-\the\year\the\month\the\day\the\time}  
15 \ifmiktex  
16 \def\tmpfile{w18-test-\the\year\the\month\the\day\the\time}  
17 \immediate\write18{echo t > "\tmpfile"}  
18 \else  
19 \immediate\write18{touch \tmpfile}  
20 \fi  
21 \ifmiktex  
22 \IfFileExists{\tmpfile.}{\ShellEscapetrue}{\ShellEscapefalse}  
23 \immediate\write18{del "\tmpfile"}  
24 \else  
25 \IfFileExists{\tmpfile}{\ShellEscapetrue}{\ShellEscapefalse}  
26 \immediate\write18{rm -f \tmpfile}  
27 \fi  
28 \fi  
29
```

*This document corresponds to dottex v0.6, dated 2007/08/22.

```

30 \ifShellEscape
31   \PackageInfo{dottex}
32   {Automatically converting dot/neato files}
33 \else
34   \PackageWarningNoLine{dottex}
35     {Shell escape not enabled.\MessageBreak
36     You'll need to convert the graphs yourself.}
37 \fi
38 \newcounter{fignum}

```

5.2 .dot/.neato write out

```

39 \def\figname{\jobname-dottex-fig\thefignum}
40
41 \def\dotverbatimwrite#1{%
42   \def\BeforeStream
43     {\message{Opening Dot stream=\figname.dot}}%
44     \immediate\write\verbatim@out{\string digraph\space G\space {/}*{/}}
45   }
46   \@bsphack
47   \immediate\openout \verbatim@out #1
48   \BeforeStream%
49   \let\do\@makeother\dospecials
50   \catcode'\^^M\active
51   \def\verbatim@processline{%
52     \immediate\write\verbatim@out
53     {\the\verbatim@line}}%
54   \verbatim@start}
55 \def\enddotverbatimwrite{%
56   \immediate\write\verbatim@out{/}*{/}}
57   \immediate\closeout\verbatim@out
58   \@esphack}
59
60 \def\neatoverbatimwrite#1{%
61   \def\BeforeStream
62     {\message{Opening Neato stream=\figname.neato}}%
63     \immediate\write\verbatim@out{\string graph\space G\space {/}*{/}}
64   }
65   \@bsphack
66   \immediate\openout \verbatim@out #1
67   \BeforeStream%
68   \let\do\@makeother\dospecials
69   \catcode'\^^M\active
70   \def\verbatim@processline{%
71     \immediate\write\verbatim@out
72     {\the\verbatim@line}}%
73   \verbatim@start}
74 \def\endneatoverbatimwrite{%
75   \immediate\write\verbatim@out{/}*{/}}
76   \immediate\closeout\verbatim@out
77   \@esphack}

```

The spurious braces (commented out in the .dot/.neato file) are necessary because \LaTeX gets confused with only one brace.

5.3 Environment definition

```

78 \define@key{pic}{width}{\def\dotwidth{#1}}
79 \define@key{pic}{height}{\def\dotheight{#1}}
80 \newenvironment{dotpic}[1][\stepcounter{fignum}%
81 \let\dotwidth\undefined
82 \let\dotheight\undefined
83 \setkeys{pic}{#1}
84   \xdef\dotCutFile{\figname.dot}
85   \dotverbatimwrite{\dotCutFile}}
86   {\enddotverbatimwrite%
87   \dotgraphicsinclude}
88
89 \newenvironment{neatopic}[1][\stepcounter{fignum}%
90 \let\dotwidth\undefined
91 \let\dotheight\undefined
92 \setkeys{pic}{#1}
93   \xdef\neatoCutFile{\figname.neato}
94   \neatoverbatimwrite{\neatoCutFile}}
95   {\endneatoverbatimwrite%
96   \neatographicsinclude}

```

5.4 .dot/.neato file processing

```

97 \long\gdef\dotgraphicsprocess{%
98   \ifShellEscape
99   \IfFileExists{\figname.dot}{%
100 \immediate\write18{dot -Tps2 -o \figname.ps \figname.dot}
101 \IfFileExists{\figname.ps}{%
102 \ifpdf
103 \immediate\write18{ps2pdf \figname.ps \figname.pdf}
104 \IfFileExists{\figname.pdf}{%
105 \PackageInfo{dottex}
106 {\figname.dot converted}}
107 {\PackageWarningNoLine{dottex}
108 {Conversion of \figname.dot failed.}}
109 \else
110 \PackageInfo{dottex}
111 {\figname.dot converted}
112 \fi}
113 {\PackageWarningNoLine{dottex}
114 {Conversion of \figname.dot failed.}}{}
115 \fi}
116
117 \long\gdef\neatographicsprocess{%
118   \ifShellEscape
119     \IfFileExists{\figname.neato}{%
120       \immediate\write18{neato -Tps2 -o \figname.ps \figname.neato}
121       \IfFileExists{\figname.ps}{%
122 \ifpdf
123 \immediate\write18{ps2pdf \figname.ps \figname.pdf}
124 \IfFileExists{\figname.pdf}{%
125 \PackageInfo{dottex}
126 {\figname.dot converted}}
127 {\PackageWarningNoLine{dottex}
128 {Conversion of \figname.dot failed.}}
129 \else

```

```

130 \PackageInfo{dottex}
131 {\figname.neato converted}
132 \fi}
133           {\PackageWarningNoLine{dottex}
134            {Conversion of \figname.neato failed.}}}{
135 \fi}

```

5.5 Graph inclusion

```

136 \long\gdef\dotgraphicsinclude{\dotgraphicsprocess%
137 \ifpdf
138 \IfFileExists{\figname.pdf}{%
139 \ifx\dotwidth\undefined
140 \ifx\dotheight\undefined
141 \includegraphics{\figname}
142 \else
143 \includegraphics[height=\dotheight]{\figname}
144 \fi
145 \else
146 \ifx\dotheight\undefined
147 \includegraphics[width=\dotwidth]{\figname}
148 \else
149 \includegraphics[width=\dotwidth,height=\dotheight]{\figname}
150 \fi
151 \fi
152 }
153 {\PackageWarningNoLine{dottex}
154 {Please convert \figname.dot manually}}
155 \else
156 \IfFileExists{\figname.ps}{%
157 \ifx\dotwidth\undefined
158 \ifx\dotheight\undefined
159 \includegraphics{\figname}
160 \else
161 \includegraphics[height=\dotheight]{\figname}
162 \fi
163 \else
164 \ifx\dotheight\undefined
165 \includegraphics[width=\dotwidth]{\figname}
166 \else
167 \includegraphics[width=\dotwidth,height=\dotheight]{\figname}
168 \fi
169 \fi
170 }
171 {\PackageWarningNoLine{dottex}
172 {Please convert \figname.dot manually}}
173 \fi
174 }
175
176 \long\gdef\neatographicsinclude{\neatographicsprocess%
177 \ifpdf
178 \IfFileExists{\figname.pdf}{%
179 \ifx\dotwidth\undefined
180 \ifx\dotheight\undefined
181 \includegraphics{\figname}

```

```

182 \else
183 \includegraphics[height=\dotheight]{\figname}
184 \fi
185 \else
186 \ifx\dotheight\undefined
187 \includegraphics[width=\dotwidth]{\figname}
188 \else
189 \includegraphics[width=\dotwidth,height=\dotheight]{\figname}
190 \fi
191 \fi
192 }
193 {\PackageWarningNoLine{dottex}
194 {Please convert \figname.neato manually}}
195 \else
196 \IfFileExists{\figname.ps}{%
197 \ifx\dotwidth\undefined
198 \ifx\dotheight\undefined
199 \includegraphics{\figname}
200 \else
201 \includegraphics[height=\dotheight]{\figname}
202 \fi
203 \else
204 \ifx\dotheight\undefined
205 \includegraphics[width=\dotwidth]{\figname}
206 \else
207 \includegraphics[width=\dotwidth,height=\dotheight]{\figname}
208 \fi
209 \fi
210 }
211 {\PackageWarningNoLine{dottex}
212 {Please convert \figname.neato manually}}
213 \fi
214 }

```