

The **aip** substyle for REV^T_EX*

Arthur Ogawa[†]

Version 4.1h, dated 2009/10/09

This file embodies the implementation of the AIP journal substyles for APS's REV^T_EX 4.1 document class for electronic submissions to AIP journals.

The distribution point for this work is <http://authors.aip.org/REVTEX>. The archive contains ready-to-Install files, documentation, and full source.

This package is also distributed via CTAN: <http://www.ctan.org/pub/tex-archive/macros/latex/contrib/aip>, and as a ready-to-install image as <http://www.ctan.org/pub/tex-archive/install/macros/latex/contrib/aip.tds.zip>.

The **aip** package was commissioned by the American Institute of Physics and is distributed under the terms of the L^AT_EX Project Public License, the same license under which all the portions of L^AT_EX itself is distributed. Please see <http://ctan.tug.org/macros/latex/base/lppl.txt> for details.

To use this document class, you must have a working T_EX installation equipped with L^AT_EX 2_S and possibly pdftex and Adobe Acrobat Reader or equivalent.

To install, retrieve the distribution, unpack it into a directory on the target computer, and move the file **aip.rtx** into a location in your filesystem where it will be found by L^AT_EX.

To use, read the user documentation **auguide.pdf**.

Contents

| | |
|---|----------|
| 1 Overview | 3 |
| 2 Processing Instructions | 3 |
| 2.1 Build Instructions | 3 |
| 2.2 Bill of Materials | 4 |
| 2.2.1 Primary Source | 4 |
| 2.2.2 Generated by latex aip.dtx | 4 |
| 2.2.3 Generated by tex aip.dtx | 4 |
| 2.2.4 Documentation | 4 |
| 2.2.5 Auxiliary | 4 |

*4.1h ©2009 American Institute of Physics For version number and date, search on "4.1h" in the .dtx file, or see the end of the README file.

[†]mailto:arthur_ogawa at sbcglobal.net

| | | |
|----------|--|----------|
| 3 | Code common to all modules | 5 |
| 4 | The driver module <code>driver</code> | 5 |
| 4.1 | The Preamble | 5 |
| 4.1.1 | Docstrip and info directives | 6 |
| 4.2 | The “Read Me” File | 6 |
| 4.3 | The Document Body | 8 |
| 5 | AIP: A set of journal-specific extensions to REV_TE_X | 8 |
| 6 | The <code>aip</code> class option: the <code>aip</code> module | 9 |
| 6.1 | Defend Against Forseeable Errors | 9 |
| 6.2 | Substyle Options | 9 |
| 6.3 | AIP Setup | 10 |
| 6.3.1 | Running header and footer | 10 |
| 6.3.2 | Title block | 11 |
| 6.3.3 | Lead-in paragraph | 16 |
| 6.3.4 | Stacked Heads | 16 |
| 6.3.5 | Runin Heads | 17 |
| 6.3.6 | Table of Contents | 19 |
| 6.3.7 | Default column bottom | 20 |
| 6.3.8 | Table alignment style | 20 |
| 6.3.9 | Footnote formatting | 21 |
| 6.3.10 | Appendix | 21 |
| 6.3.11 | Bibliography | 21 |
| 6.3.12 | Index | 26 |
| 6.3.13 | Typesize Processing | 27 |
| 6.4 | A. Running Title | 28 |
| 6.5 | B. Equation numbering, figure and table numbering | 28 |
| 6.6 | C. Title | 28 |
| 6.7 | D. Author footnote | 28 |
| 6.8 | E. Author | 28 |
| 6.9 | F. Affiliations | 28 |
| 6.10 | G. Received date | 28 |
| 6.11 | H. Abstract | 28 |
| 6.12 | J. Lead Paragraph | 28 |
| 6.13 | K. Headings | 28 |
| 6.14 | L. Text Footnotes | 29 |
| 6.15 | M. Citations and Bibliography | 29 |
| 6.16 | N. References | 29 |
| 6.17 | O. Examples of Numerical References | 29 |
| 6.18 | P. References in Author-year mode | 29 |
| 6.19 | Q. Numbered Author-year References | 29 |
| 6.20 | R. Tables | 29 |
| 6.21 | S. Figures | 29 |
| 6.22 | Society defaults | 30 |

| | | |
|---------|------------------------|----|
| 6.23 | Journal-Specific Code | 30 |
| 6.23.1 | jcp | 30 |
| 6.23.2 | pop | 30 |
| 6.23.3 | rsi | 30 |
| 6.23.4 | jap | 31 |
| 6.23.5 | apl | 31 |
| 6.23.6 | cha | 31 |
| 6.23.7 | pof | 31 |
| 6.23.8 | bmf | 32 |
| 6.23.9 | rse | 32 |
| 6.23.10 | jmp | 32 |
| 6.24 | Establish AIP Defaults | 32 |

| | |
|--------------|-----------|
| Index | 35 |
|--------------|-----------|

1 Overview

REVTeX is a $\text{\LaTeX} 2\epsilon$ document class, somewhat like a hybrid of the standard \LaTeX book and article classes.

This document class implements the AIP society and journal substyles: the journals represent a set of mutually exclusive class options that, in this case, allow the document class to address multiple journals within the AIP family. This society is obtained with class option `aip`.

2 Processing Instructions

The package file `aip.rtx` is generated from this file, `aip.dtx`, using the `DOCSTRIP` facility of \LaTeX via `tex aip.dtx`. The typeset documentation that you are now reading is generated from the same file by typesetting it with \LaTeX or `pdflatex` via `latex aip.dtx` or `pdflatex aip.dtx`.

2.1 Build Instructions

You may bootstrap this suite of files solely from `aip.dtx`. Prepare by installing $\text{\LaTeX} 2\epsilon$ (and either `tex` or `pdflatex`) on your computer, then carry out the following steps:

1. Within an otherwise empty directory, typeset `aip.dtx` with \LaTeX or `pdflatex`; you will obtain the typeset documentation you are now reading, along with the installer `aip.ins`, and the file `README`.

Note: you will have to run \LaTeX twice, then `makeindex`, then \LaTeX again in order to obtain a valid index and table of contents.

2. Now typeset `aip.dtx` with \TeX (not \LaTeX), thereby generating the package file `aip.rtx`.

3. Install `aip.rtx` by moving it to a location in your filesystem where it will be found by L^AT_EX, like `tex/latex/aip`.
4. Install `aip.pdf` by moving it to `doc/latex/aip`.
5. Using the `.dbj` information herein, generate the needed `.bst` files and install them in `bibtex/bst/aip`.

2.2 Bill of Materials

Following is a list of the files in this distribution arranged according to provenance.

2.2.1 Primary Source

One single file generates all.

```
%aip.dtx
%
```

2.2.2 Generated by latex aip.dtx

Typesetting the source file under L^AT_EX generates the readme and the installer.

```
%README    aip.ins
%
```

2.2.3 Generated by tex aip.dtx

Typesetting the installer generates the package files.

```
%aip.rtx
%
```

2.2.4 Documentation

The following are the online documentation:

```
%aip.pdf
%
```

2.2.5 Auxiliary

The following are auxiliary files generated in the course of running L^AT_EX:

```
%aip.aux aip.idx aip.ind aip.log aip.toc
%
```

3 Code common to all modules

The following may look a bit klootchy, but we want to require only one place in this file where the version number is stated, and we also want to ensure that the version number is embedded into every generated file.

Now we declare that these files can only be used with L^AT_EX 2_E. An appropriate message is displayed if a different T_EX format is used.

```
1 %<*driver|package>
2 \NeedsTeXFormat{LaTeX2e}[1996/12/01]%
3 %</driver|package>
```

As desired, the following modules all take common version information:

```
4 %<package>\ProvidesFile{aip4-1.rtx}%
5 %<*driver>
6 \expandafter\ProvidesFile\expandafter{\jobname.dtx}%
7 %</driver>
```

The following line contains, for once and for all, the version and date information. By various means, this information is reproduced consistently in all generated files and in the typeset documentation.

```
8 %<*driver|package>
9 [2009/10/09 4.1h AIP substyle for REVTeX] \% \fileversion
10 %</driver|package>
```

4 The driver module `driver`

This module, consisting of the present section, typesets the programmer’s documentation, generating the `.ins` installer and `README` as required.

Because the only uncommented-out lines of code at the beginning of this file constitute the `driver` module itself, we can simply typeset the `.dtx` file directly, and there is thus rarely any need to generate the “driver” DOCSTRIP module. Module delimiters are nonetheless required so that this code does not find its way into the other modules.

The `\end{document}` command concludes the typesetting run.

```
11 %<*driver>
```

4.1 The Preamble

The programmers documentation is formatted with the `ltxdoc` class with local customizations, and with the usual code line indexing.

```
12 \documentclass{ltxdoc}
13 \RequirePackage{ltxdocext}%
14 \let\url\undefined
15 \RequirePackage[colorlinks=true,linkcolor=blue]{hyperref}%
16 \expandafter\ifx\csname package@font\endcsname\relax\else
17 \expandafter\expandafter
18 \expandafter\RequirePackage
```

```

19 \expandafter\expandafter
20 \expandafter{\csname package@font\endcsname}%
21 \fi
22 \gdef\lquote{'}\gdef\rquote{'}%
23 \CodelineIndex\EnableCrossrefs % makeindex -s gind.ist aip
24 \RecordChanges % makeindex -s gglo.ist -o aip.gls aip.glo

```

4.1.1 Docstrip and info directives

We use so many DOCSTRIP modules that we set the `StandardModuleDepth` counter to 1.

```
25 \setcounter{StandardModuleDepth}{1}
```

The following command retrieves the date and version information from this file.

```
26 \expandafter\GetFileInfo\expandafter{\jobname.dtx}\%
```

4.2 The “Read Me” File

As promised above, here is the contents of the “Read Me” file. That file serves a double purpose, since it also constitutes the beginning of the programmer’s documentation. What better thing, after all, to have appear at the beginning of the typeset documentation?

A good discussion of how to write a ReadMe file can be found in Engst, Tonya, “Writing a ReadMe File? Read This” *MacTech* October 1998, p. 58.

Note the appearance of the `\StopEventually` command, which marks the dividing line between the user documentation and the programmer documentation.

The usual user will not be asked to do a full build, not to speak of the bootstrap. Instructions for carrying these processes begin the programmer’s manual.

```

27 \begin{filecontents*}[README]
28 \title{%
29   The \classname{aip} substyle for REV\TeX%
30   \protect\thanks{%
31     \fileversion\ \copyright\ 2009 American Institute of Physics
32     \% For version number and date,
33     \% search on "\fileversion" in the .dtx file,
34     \% or see the end of the README file.
35   }%
36 }%
37
38 \author{%
39   Arthur Ogawa\thanks{mailto:arthur\_ogawa at sbcglobal.net}%
40 }%
41 \date{Version \fileversion, dated \filedate}%
42 \maketitle
43
44 This file embodies the implementation of the
45 AIP journal substyles for APS's \revtex\ 4.1 document class
46 for electronic submissions to AIP journals.

```

```

47
48 The distribution point for this work is
49 \url{http://authors.aip.org/REVTEX}.
50 The archive contains ready-to-Install files, documentation, and full source.
51
52 This package is also distributed via CTAN:
53 \url{http://www.ctan.org/pub/tex-archive/macros/latex/contrib/aip}, and as a ready-to-install i
54 \url{http://www.ctan.org/pub/tex-archive/install/macros/latex/contrib/aip.tds.zip}.
55
56 The \classname{aip} package was commissioned by the American Institute of Physics
57 and is distributed under the terms of the \LaTeX\ Project Public License,
58 the same license under which all the portions of \LaTeX\ itself is distributed.
59 Please see \url{http://ctan.tug.org/macros/latex/base/lppl.txt} for details.
60
61 To use this document class, you must have a working
62 \TeX\ installation equipped with \LaTeXe\
63 and possibly pdftex and Adobe Acrobat Reader or equivalent.
64
65 To install, retrieve the distribution,
66 unpack it into a directory on the target computer,
67 and move the file \file{aip.rtx}
68 into a location in your filesystem where it will be found by \LaTeX.
69
70 To use, read the user documentation \file{auguide.pdf}.
71
72 \tableofcontents
73
74 \section{Overview}%
75 \revtex\ is a \LaTeXe\ document class, somewhat like a hybrid of
76 the standard \LaTeX\ \classname{book} and \classname{article} classes.
77
78 This document class implements the AIP society and journal substyles:
79 the journals represent a set of mutually exclusive class options that, in this case, allow the
80 document class to address multiple journals within the AIP family.
81 This society is obtained with class option \classoption{aip}.
82
83 \section{Processing Instructions}
84
85 The package file \file{aip.rtx}
86 is generated from this file, \file{aip.dtx},
87 using the {\sc docstrip} facility of \LaTeX
88 via |tex aip.dtx|.
89 The typeset documentation that you are now reading is generated from
90 the same file by typesetting it with \LaTeX\ or pdftex
91 via |latex aip.dtx| or |pdflatex aip.dtx|.
92
93 \subsection{Build Instructions}
94
95 You may bootstrap this suite of files solely from \file{aip.dtx}.
96 Prepare by installing \LaTeXe\ (and either tex or pdftex) on your computer,

```

```

97 then carry out the following steps:
98 \begin{enumerate}
99 \item
100 Within an otherwise empty directory,
101 typeset \file{aip.dtx} with \LaTeX\ or pdflatex;
102 you will obtain the typeset documentation you are now reading,
103 along with
104 the installer \file{aip.ins},
105 and the file \file{README}.
106
107 Note: you will have to run \LaTeX\ twice, then \file{makeindex}, then
108 \LaTeX\ again in order to obtain a valid index and table of contents.
109 \item
110 Now typeset \file{aip.dtx} with \TeX (not \LaTeX),
111 thereby generating the package file \file{aip.rtx}.
112 \item
113 Install \classname{aip.rtx}
114 by moving it to a location
115 in your filesystem where it will be found by \LaTeX,
116 like \file{tex/latex/aip}.
117 \item
118 Install \classname{aip.pdf}
119 by moving it to
120 \file{doc/latex/aip}.
121 \item
122 Using the \file{.dbj} information herein,
123 generate the needed \file{.bst} files and install them in
124 \file{bibtex/bst/aip}.
125 \end{enumerate}
126 \end{filecontents*}

```

4.3 The Document Body

Here is the document body, containing only a \DocInput directive—referring to this very file. This very cute self-reference is a common ltxdoc idiom.

```

127 \begin{document}%
128 \newcommand\revtex{REV\TeX}%
129 \expandafter\DocInput\expandafter{\jobname.dtx}%
130 % ^^A\PrintChanges
131 \end{document}
132 %</driver>

```

5 AIP: A set of journal-specific extensions to REV_{TEX}

To create a journal substyle, you create a `.rtx` file, in our case `aip.rtx`. Within that file, you override procedures and parameter assignments as you see fit. Ide-

ally they will be generally applicable to all of that society's journals (see the file `aps.rtx` for a realization of this scheme). Also within that file, you include a section of code for each journal, that for JMP looks like:

```
% \cifx{\@journal\journal@jmp}{%
% <code specific to the JMP>
% }{%
%
```

6 The aip class option: the aip module

The file `aip.rtx` is read in by the `revtex4` document class if `\@society` has the value `aip`.

Here, code specific to AIP journals appears.

We first give some text entities (amounting to journal abbreviations), then some AIP-specific initialisations, then code for particular AIP journals. In the latter case, the choice is keyed off the macro `\@journal`.

Note on `\AtEndOfClass`: this file, like all journal substyles, is read in at `\AtEndOfClass` time, so you should not use this command in this file. Note for L^AT_EX developers: It would be an improvement in L^AT_EX to `\let\AtEndOfClass` to something like `\@firstofone`. This change would be effected in `\@onewithoptions`.

133 %<*package>

6.1 Defend Against Forseeable Errors

Protect this file from being read in by anything but REVTEX.

```
134 \ifx\undefined\substyle@ext
135   \def\@tempa{%
136     \endinput
137     \GenericWarning{I must be read in by REVTeX! (Bailing out)}%
138   }%
139   \expandafter\else
140   \def\@tempa{}%
141   \expandafter\fi\@tempa
142 \class@info{RevTeX society AIP selected}%
```

6.2 Substyle Options

Here are the class options relating to the AIP:

```
143 \DeclareOption{jcp}{\change@journal{jcp}}%
144 \DeclareOption{pop}{\change@journal{pop}}%
145 \DeclareOption{rsi}{\change@journal{rsi}}%
146 \DeclareOption{jap}{\change@journal{jap}}%
147 \DeclareOption{apl}{\change@journal{apl}}%
148 \DeclareOption{cha}{\change@journal{cha}}%
149 \DeclareOption{pof}{\change@journal{pof}}%
150 \DeclareOption{bmf}{\change@journal{bmf}}%
```

```

151 \DeclareOption{rse}{\change@journal{rse}}%
152 \DeclareOption{jmp}{\change@journal{jmp}}%
    Option allowing for “numerical author-year” bibliography.
153 \DeclareOption{author-numerical}{%
154   \@booleantrue\authoryear@sw
155   \@booleantrue\authornum@sw
156 }%
    Optionally allow article title in bibliography entries. A new switch is defined here: \aip@jtidx@sw signifies that the numbered style bibliography is to be prepared without article titles in @ARTICLE entries. Otherwise, such titles are incorporated if present in the .bib entry. By default, exclude the article titles.
157 \DeclareOption{article-title}{%
158   \@booleanfalse\aip@jtidx@sw
159 }%
160 \@booleantrue \aip@jtidx@sw
    Establish default options for this society.
161 \@booleanfalse\authoryear@sw
162 \@booleanfalse\authornum@sw
    For AIP, the preprint style preprint is the default.
163 \@booleantrue\preprintsty@sw

\showPACS@sw If \showPACS@sw is true, print the PACS information in the title block, otherwise
\showKEYS@sw not. Similarly for \showKEYS@sw and the keywords.
164 \@booleantrue\showPACS@sw
165 \@booleantrue\showKEYS@sw

\refname In reprint style only, we eliminate the head above the bibliography.
166 \appdef\setup@hook{%
167   \preprintsty@sw{}{%
168     \let\refname\empty
169   }%
170 }%

```

6.3 AIP Setup

Here we define the default procedures for AIP journals. Individual AIP journals may override these definitions.

6.3.1 Running header and footer

Page style for all AIP journals. We assert our own page style only if nobody else has done so. Users wishing to customize their documents will be able to invoke a `\pagestyle` command anywhere in the preamble. FIXME: `\preprintsty@sw` is defined?

```
171 \appdef\setup@hook{%
```

```

172 \preprintsty@sw{%
173   \ps@preprint
174 }{%
175   \ps@article
176 }%
177 }%

```

The spc says: “Running title must be provided on title page”, and that journal classes 1b and 2 have no running title.

```

178 \def\ps@preprint{%
179   \def\@oddhead{\@runningtitle\hfil}%
180   \def\@evenhead{\@runningtitle\hfil}%
181   \def\@oddfoot{\hfil\thepage\quad\checkindate\hfil}%
182   \def\@evenfoot{\hfil\thepage\quad\checkindate\hfil}%
183   \let\@mkboth\@gobbletwo
184   \let\sectionmark\@gobble
185   \let\subsectionmark\@gobble
186 }%
187 \def\ps@article{%
188   \def\@evenhead{\let\\heading@cr\thepage\quad\checkindate\hfil\@runningtitle}%
189   \def\@oddhead{\let\\heading@cr\@runningtitle\hfil\checkindate\quad\thepage}%
190   \def\@oddfoot{}%
191   \def\@evenfoot{}%
192   \let\@mkboth\@gobbletwo
193   \let\sectionmark\@gobble
194   \let\subsectionmark\@gobble
195 }%
196 \def\@runningtitle{\@shorttitle}%

```

6.3.2 Title block

The specifics of the title block. Apply to all AIP journals; individual journals may override these settings.

```

\titleread
197 \renewenvironment{titleread}{%
198   \let\washtwocol@sw\twocolumn@sw
199   \onecolumngrid
200   \newpage
201   \thispagestyle{titleread}%
202   \c@page\z@% article sets this to one not zero???
203 }{%
204   \washtwocol@sw{\twocolumngrid}{\newpage}%
205 }%

```

\@fnsymbol On the title page, footnotes are lettered with right parenthesis: “a”).

```

206 \let\fnsymbol@latex\fnsymbol
207 \let\fnsymbol\alph

```

`\adjust@abstractwidth` This procedure is used by many titlepage elements to indent on the left by a particular amount. The author list uses `\frontmatter@authorformat` to accomplish the same.

```
208 \def\adjust@abstractwidth{%
209  \parindent1em\relax
210  \advance\leftskip.5in\relax
211  \z@totalleftmargin\leftskip
212  \z@afterheading\z@afterindentfalse
213 }%
```

`\frontmatter@abstractheading` AIP Journals all set the abstract head the same way, with no head.

```
214 \def\frontmatter@abstractheading{}%
```

`\frontmatter@abstractfont` All AIP journals set the abstract body the same way.

```
215 \def\frontmatter@abstractfont{%
216 %\small
217  \adjust@abstractwidth
218 }%
```

All AIP journal preprints use separate titlepage and full-width abstract.

```
219 \appdef\setup@hook{%
220  \preprintsty@sw{%
221   \z@booleantrue\titlepage@sw
222 % \def\frontmatter@affiliationfont{\it}%
223   \let\section\section@preprintsty
224 % \let\@hangfrom@section\@hangfrom@section@preprintsty
225   \let\subsection\subsection@preprintsty
226   \let\subsubsection\subsubsection@preprintsty
227 }{}%
228 }%
```

`\frontmatter@authorformat` All AIP journals set the author list the same. The leading is 11.5 points, and there is 11.5 points of extra space above the first author line (which amounts to the same thing as 11.5 points extra below the title) for a total of 23 points base-to-base.

```
229 \def\frontmatter@@indent{%
230  \skip@\z@flushglue
231  \z@flushglue\z@ plus.3\hsize\relax
232  \raggedright
233  \advance\leftskip.5in\relax
234  \z@totalleftmargin\leftskip
235  \z@flushglue\skip@
236 }%
237 \def\frontmatter@authorformat{%
238  \frontmatter@@indent
239  \sffamily
240 %\advance\baselineskip\p@
241 %\parskip11.5\p@\relax
242 }%
243 \renewcommand*\email[1]{\begingroup\sanitizeurl@email{#1}}%
```

```

\frontmatter@above@affilgroup The default amount of space above affiliation.
244 \def\frontmatter@above@affilgroup{%
245 }%

\frontmatter@above@affiliation The default amount of space above affiliation.
\frontmatter@above@affiliation@script The default amount of space above affiliation.
246 \def\frontmatter@above@affiliation@script{%
247   \frontmatter@@indent
248   \%addvspace{3.5\p@}%
249 }%
250 \def\frontmatter@above@affiliation{%
251 }%

\frontmatter@affiliationfont All AIP journals set the affiliation the same. Like the author, but in italic.
252 \def\frontmatter@affiliationfont{%
253   \frontmatter@@indent
254   \preprintsty@sw{}{\small}%
255   \it
256 }%

\frontmatter@collaboration@above
257 \def\frontmatter@collaboration@above{%
258 }%

Set up the default AIP style for title block authors and affiliations.

\frontmatter@setup All AIP journals set the title page using the same font and size. However, justification varies for the title block elements, so we assert none here.
259 \def\frontmatter@setup{%
260   \normalfont
261 }%

\frontmatter@title@above All AIP journals set the article title 12 point Times Roman, bold, flush left.
\frontmatter@title@format
\frontmatter@title@below
262 \def\frontmatter@title@above{\addvspace{6\p@}}%
263 \def\frontmatter@title@format{%
264   \preprintsty@sw{}{\Large}%
265   \sffamily
266   \bfseries
267   \raggedright
268   \parskip\z@skip
269 }%
270 \def\frontmatter@title@below{\addvspace{3\p@}}%

\frontmatter@makefnmark All AIP journals share this procedure for setting the titlepage footnote text: superior lowercase letter, with right parenthesis.
271 \def\@author@parskip{3\p@}%
272 \ifboolean{true}{\altaffilletter@sw}{}
273 \def\frontmatter@makefnmark{%
274   \textsuperscript{%

```

```

275   \normalfont\@thefnmark%
276   )%
277 }%
278 }%
279 \def\frontmatter@authorbelow{%
280 \addvspace{3\p0}%
281 }%

\affil@cutoff We override \affil@cutoff to enforce the rule that, if a single affiliation appears
on the title page, then no affiliation superscript at all is produced.
282 \let\affil@cutoff\tw@
De awa.

\frontmatter@RRAP@format All AIP journals use the same format for the “Received, Revised, etc.” block on
the title page.
Change note: 11.5 points b-b from author/affiliation down to date.
283 \def\frontmatter@RRAP@format{%
284   \addvspace{5\p0}%
285   \small
286   \raggedright
287   \advance\leftskip.5in\relax
288   \atotalleftmargin\leftskip
289 % \preprintsty@sw{}{\parskip.5ex\relax}%
290   \everypar{%
291     \hbox\bgroup(\gobble@leavemode@uppercase%)%
292   }%
293   \def\par{%
294     \ifvmode{}{%
295       \unskip)\egroup\@@par
296     }%
297   }%
298 }%
299 \def\punct@RRAP{;\egroup\ \hbox\bgroup}%
300 \def\gobble@leavemode@uppercase#1#2{\expandafter\MakeTextUppercase}%

\frontmatter@PACS@format
301 \def\frontmatter@PACS@format{%
302   \addvspace{11\p0}%
303 % \footnotesize
304   \adjust@abstractwidth
305   \parskip\z@skip
306   \samepage
307 }%

\frontmatter@keys@format
308 \def\frontmatter@keys@format{%
309 % \footnotesize
310   \adjust@abstractwidth
311   \samepage

```

```

312 }%
\ps@titlepage Title page style. Currently empty except for preprint header, which consists of all
the \preprint arguments, stacked flush right at the right margin.
313 \def\ps@titlepage{%
314   \def\@oddhead{%
315     \@runningtitle
316     \hfill
317     \produce@preprints\@preprint
318   }%
319   \let\@evenhead\@oddhead
320   \def\@oddfoot{%
321     \hb@xt@\z@{\byrevtex\hss}%
322     \hfil
323     \preprintsty@sw{\thepage}{}%
324     \quad\checkindate
325     \hfil
326   }%
327   \let\@evenfoot\@oddfoot
328 }%
329 \def\byrevtex{\byrevtex@sw{Typeset by REV\TeX and AIP}{}}

\produce@preprints
330 \def\produce@preprints#1{%
331   \preprint@sw{%
332     \vtop to \z@{%
333       \def\baselinestretch{1}%
334       \small
335       \let\preprint\preprint@count
336       \count@\z@#1\@ifnum{\count@>\tw@}{%
337         \hbox{%
338           \let\preprint\preprint@hlist
339           #1\setbox\z@\lastbox
340         }%
341       }{%
342         \let\preprint\preprint@cr
343         \halign{\hfil##\cr#1\cr}%
344       \par
345       \vss
346     }%
347   }%
348 }{}%
349 }%
350 \def\preprint@cr#1{#1\cr}%
351 \def\preprint@count#1{\advance\count@\@ne}%
352 \def\preprint@hlist#1{#1\hbox{, }}%

```

6.3.3 Lead-in paragraph

The **Lead-in paragraph** environment formats the AIP “lead paragraph”. To avoid introducing new syntax, we take over the **quotation** environment until the first **\section** (or other sectioning command) appears.

```
353 \newenvironment{Lead@inParagraph}{%
354   \par
355   \bfseries
356   \@afterheading\@afterindentfalse
357 }{%
358   \par
359   \hb@xt@\hsize{\hfil\leaders\hrule\hfil\leaders\hrule\hfil\hfil}%
360 }
```

At the beginning of the document temporarily change the meaning of the **quotation** environment, restoring it once the first sectioning command is given.

```
361 \appdef\frontmatter@init{%
362   \let@environment{quotation@ltx}{quotation}%
363   \let@environment{quotation}{Lead@inParagraph}%
364 }%
365 \appdef\@startsection@hook{%
366   \let@environment{quotation}{quotation@ltx}%
367 }
```

6.3.4 Stacked Heads

All AIP journals put a period (.), followed by quad space, after the section number. Also, no hanging section number.

```
368 \def\@secCntFormat#1{\csname the#1\endcsname.\quad}%
369 \def\@hangFrom#1#2#3{#1#2#3}%
```

Note that in the following, we wish to set the section head uppercase, so we use David Carlisle’s **\MakeTextUppercase**. However, because this procedure effectively parses its argument (looking for things to *not* translate), it has to be invoked in such a way that the argument of the **\section** command is passed to it as its own argument.

To accomplish this, we use the **\@hangfrom@** hook, which was developed for this purpose.

```
370 \def\section{%
371   \@startsection
372   {section}%
373   {1}%
374   {\z@}%
375   {0.8cm \plus1ex \minus .2ex}%
376   {0.5cm}%
377   {%
378     \normalfont
379     \small
380     \sffamily
```

```

381      \bfseries
382      \raggedright
383  }%
384 }%
385 \def\Changfrom@section#1#2#3{\hangfrom{#1#2}\MakeTextUppercase{#3}}%
386 \def\Changfroms@section#1#2{#1\MakeTextUppercase{#2}}%

```

See, e.g., BMF_044101_1 (1) or BMF_044103_1 (1)

```

387 \def\subsection{%
388   \startsection
389   {subsection}%
390   {2}%
391   {\z@}%
392   {.8cm \plus1ex \minus .2ex}%
393   {.5cm}%
394   {%
395     \normalfont
396     \small
397     \sffamily
398     \bfseries
399     \raggedright
400   }%
401 }%

```

See, e.g., BMF_044104_1 (1), JMP_123520_1 (48),

```

402 \def\subsubsection{%
403   \startsection
404   {subsubsection}%
405   {3}%
406   {\z@}%
407   {.8cm \plus1ex \minus .2ex}%
408   {.5cm}%
409   {%
410     \normalfont
411     \small
412     \sffamily
413     \bfseries
414     \itshape
415     \raggedright
416   }%
417 }%

```

6.3.5 Runin Heads

```

418 \def\paragraph{%
419   \startsection
420   {paragraph}%
421   {4}%
422   {\parindent}%
423   {\z@}%

```

```

424      {-1em}%
425      {\normalsize\normalfont\itshape}%
426 }%
427 \def\subparagraph{%
428   \@startsection
429   {subparagraph}%
430   {5}%
431   {\parindent}%
432   {3.25ex \oplus1ex \ominus .2ex}%
433   {-1em}%
434   {\normalsize\normalfont\bfseries}%
435 }%
436 \def\section@preprintsty{%
437   \@startsection
438   {section}%
439   {1}%
440   {\z@}%
441   {0.8cm \oplus1ex \ominus .2ex}%
442   {0.5cm}%
443   {%
444     \normalsize\normalfont\bfseries\raggedright
445   }%
446 }%
447 \def\subsection@preprintsty{%
448   \@startsection
449   {subsection}%
450   {2}%
451   {\z@}%
452   {0.8cm \oplus1ex \ominus .2ex}%
453   {0.5cm}%
454   {%
455     \normalsize\normalfont\bfseries\raggedright
456   }%
457 }%
458 \def\subsubsection@preprintsty{%
459   \@startsection
460   {subsubsection}%
461   {3}%
462   {\z@}%
463   {0.8cm \oplus1ex \ominus .2ex}%
464   {0.5cm}%
465 }%
466 }%
467 }%
468 }%
469 }%

```

\section@preprintsty Here are the formatting procedures specific to the preprint style; the only difference
 \subsection@preprintsty is that the heads are flush left instead of centered.
 \subsubsection@preprintsty

```

470      {%
471      \normalfont
472 %     \small
473     \itshape\bfseries
474     \raggedright
475   }%
476 }%

```

For examples of **theorem**, **proposition**, **lemma**, **remark**, **corollary**, **example**, and **proof** (with optional title), using independent numbering for each class, and with numbered and roman lists therein, see JMP_122901_1 (48).

For theorems, etc, numbered by section, (and with theorems in the appendix) but equations numbered throughout, see JMP_123301_1 (48).

For a (roman) list in text, theorem, and proof, see JMP_123514_1 (48).

For numbered list in text, and equations numbered by section, see JMP_123518_1 (48).

All AIP journals use frontmatter footnotes by default.

```
477 \let\frontmatter@footnote@produce\frontmatter@footnote@produce@footnote
```

6.3.6 Table of Contents

The toc will itself make an entry in the toc, but we temporarily turn off toc formatting for the duration.

```

478 \def\@pnumwidth{1.55em}
479 \def\@tocrmarg {2.55em}
480 \def\@dotsep{2}
481 \def\ltxu@dotsep{4.5pt}
482 \setcounter{tocdepth}{3}

483 \def\tableofcontents{%
484   \addtocontents{toc}{\string\tocdepth@munge}%
485   \print@toc{toc}%
486   \addtocontents{toc}{\string\tocdepth@restore}%
487 }%

488 \def\tocdepth@munge{%
489   \let\l@section@saved\l@section
490   \let\l@section\gobble@tw@
491 }%
492 \def\gobble@tw@#1#2{}%

493 \def\tocdepth@restore{%
494   \let\l@section\l@section@saved
495 }%

496 \def\l@part#1#2{\addpenalty{\@secpenalty}%
497   \begingroup
498   \set@tocdim@pagenum{#2}%
499 % \tempdima 3em %
500   \parindent \z@
501   \rightskip\tocleft@pagenum plus 1fil\relax

```

```

502 \skip@\parfillskip\parfillskip\z@
503 \addvspace{2.25em plus\p@}%
504 \large \bf %
505 \leavevmode\ignorespaces#1\unskip\nobreak\hskip\skip@
506 \hb@xt@\rightskip{\hfil\unhbox\z@}\hskip-\rightskip\hskip\z@skip
507 \par
508 \nobreak %
509 \endgroup
510 }%

```

\l@section Determine which TOC elements are automatically indented.

```

511 \def\tocleft@{\z@}%
512 \def\tocdim@{\min{5\p@}}%
513 \def\l@section{%
514 \l@@sections{}{section}%
515 }%
516 \def\l@f@section{%
517 \addpenalty{\@secpenalty}%
518 \addvspace{1.0em plus\p@}%
519 \bf
520 }%
521 \def\l@subsection{%
522 \l@@sections{section}{subsection}%
523 }%
524 \def\l@subsubsection{%
525 \l@@sections{subsection}{subsubsection}%
526 }%
527 \def\l@paragraph#1#2{}%
528 \def\l@subparagraph#1#2{}%

```

Activate the auto TOC processing.

```

529 \let\toc@pre\toc@pre@auto
530 \let\toc@post\toc@post@auto
531 \def\listoffigures{\print@toc{lof}}%
532 \def\l@figure{\@dottedtocline{1}{1.5em}{2.3em}}%
533 \def\listoftables{\print@toc{lot}}%
534 \let\l@table\l@figure

```

6.3.7 Default column bottom

All AIP journal styles have flush bottoms.

```
535 \booleanfalse\raggedcolumn@sw
```

6.3.8 Table alignment style

```

\tableleft@skip@float All AIP publications have the same table specification: Scotch rules above and
\tabmid@skip@float below, centered in column.
\tabright@skip@float 536 \def\tableleft@skip@float{\z@ plus\hsize}%
\array@row@pre@float
\array@row@pst@float

```

```

537 \def\tabmid@skip@float{\@flushglue}%
538 \def\tabright@skip@float{\z@ plus\hsize}%
539 \def\array@row@pre@float{\hline\hline\noalign{\vskip\doublerulesep}}%
540 \def\array@row@pst@float{\noalign{\vskip\doublerulesep}\hline\hline}%

```

6.3.9 Footnote formatting

We customize the formatting of footnotes for all AIP journals.

```
\@makefntext
541 \def\@makefntext#1{%
542   \def\baselinestretch{1}%
543   \leftskip1em%
544   \parindent1em%
545   \noindent
546   \nobreak\hskip-\leftskip
547   \hb@xt@\leftskip{%
548     \hss\@makefnmark\ %
549   }%
550   #1%
551   \par
552 }%
```

6.3.10 Appendix

```
\appendix
\@hangfrom@appendix 553 \prepdef\appendix{%
\@hangfroms@appendix 554 \par
\@appendixcntformat 555 \let\@hangfrom@section\@hangfrom@appendix
556 %\let\@hangfroms@section\@hangfroms@appendix
557 \let\@sectioncntformat\@appendixcntformat
558 }%
559 \def\@hangfrom@appendix#1#2#3{%
560   #1%
561   \@ifempty{#2}{%
562     #3%
563   }{%
564     #2\@ifempty{#3}{\{}{\:\:#3}%
565   }%
566 }%
567 \def\@hangfroms@appendix#1#2{%
568   #1#2%
569 }%
570 \def\@appendixcntformat#1{\appendixname\ \csname the#1\endcsname}%
}
```

6.3.11 Bibliography

Customize the REVTEX for the AIP society. this task requires three components: the BIBTEX *aipnum.bst* and *aipaauth.bst* style files, customizing code for *natbib*, and customizations of the *thebibliography* environment.

`\@bibstyle` Define the argument of the `\bibliographystyle` command. The user must have installed a `.bst` file of the corresponding name. This file will then be used by `BIBTEX` when compiling the document's `.bb1` file.

The default bibliography style for the AIP journal substyles are `aipnum.bst` and `aipauth.bst`. To generate them, use `custom-bib` version 4.21 or later. Run the `.bst` generator, `makebst.tex`, and accept all defaults, with the following exceptions:

1. ORDERING OF REFERENCES: c: seq-no (references in order of Citation);
2. AUTHOR NAMES: i: nm-init,ed-au (Initials + surname);
3. NUMBER OF AUTHORS: l: max 12, min 12 (there will be three prompts total);
4. TYPEFACE FOR AUTHORS IN LIST OF REFERENCES: u: nmft,nmft-def (User defined author font);
5. FONT FOR FIRST NAMES: u: fnm-def (First names in user defined font);
6. EDITOR NAMES IN INCOLLECTION ETC: a: nmfted (Editors incollection like authors);
7. DATE FORMAT: p: yr-par (Date in parentheses);
8. SUPPRESS MONTH: x: xmth (Date is year only);
9. TITLE OF ARTICLE: i: tit-it (Title italic)
10. ARTICLE TITLE PRESENT: x: jtit-x (No article title);
11. JOURNAL NAME FONT: r: jttl-rm (Journal title normal);
12. TECHNICAL REPORT TITLE: b: trtit-b (Tech. report title like books);
13. JOURNAL VOLUME: b: vol-bf (Volume bold);
14. VOLUME PUNCTUATION: c: volp-com (Volume with comma);
15. PAGE NUMBERS: f: jpg-1 (Only start page number);
16. JOURNAL NAME PUNCTUATION: x: jnm-x (Space after journal);
17. PUBLISHER IN PARENTHESES: d: pub-date (Publisher and date in parentheses);
18. PUBLISHER POSITION: p: pre-pub (Publisher before chapter, pages);
19. ISBN NUMBER: isbn: (Include ISBN for books, booklets)
20. ISSN NUMBER: issn: (Include ISSN for periodicals)
21. EDITOR IN COLLECTIONS: b: edby (Booktitle, edited by ...);

22. PUNCTUATION BETWEEN SECTIONS (BLOCKS): c: blk-com (Comma between blocks);
23. ABBREVIATE WORD ‘PAGES’: a: pp (‘Page’ abbreviated);
24. ABBREVIATE WORD ‘EDITORS’: a: ed (‘Editor’ abbreviated);
25. OTHER ABBREVIATIONS: a: abr (Abbreviations);
26. ABBREVIATION FOR ‘EDITION’: a: ednx (‘Edition’ abbreviated as ‘ed’);
27. EDITION NUMBERS: n: ord (Numerical editions);
28. STORED JOURNAL NAMES: a: jabr (Abbreviated journal names);
29. FONT OF ‘ET AL’: i: etal-it (Italic et al);
30. ADDITIONAL REVTeX DATA FIELDS: r: revdata, eprint, url, url-blk
(Include REVTeX data fields collaboration, eid, eprint, numpages, url)
31. NEW FONT SELECTION SCHEME: n: nfss (NFSS);
32. ADDITIONAL REVTeX DATA FIELDS: y: revdata (additional data fields);
33. REFERENCE COMPONENT TAGS: y: reference component tags;
34. URL ADDRESS: n: URL as note;

A file `aipnum.dbj` file equivalent to the following should result:

```
%\input docstrip
%\preamble
%-----
%*** REVTeX-compatible aipnum4-1.bst 2009-10-08 ***
%\endpreamble
%\postamble
%End of customized bst file
%\endpostamble
%\keepsilent
%\askforoverwritefalse
%\def\MBopta{\from{merlin.mbs}{%
%  head,\MBopta}
%\from{physjour.mbs}{\MBopta}
%\from{geojour.mbs}{\MBopta}
%\from{photjour.mbs}{\MBopta}
%\from{merlin.mbs}{tail,\MBopta}}
%\def\MBopta{%
%  lang,%: Use language field to switch hyphenation patterns for title
%  pres,pres-bf,%: Presentation, speaker bold face
%  seq-no,%: Citation order (unsorted, like unsrt.bst)
%  vonx,%: Sort without von part (de la Maire after Mahone)}
```

```

% nm-init,ed-au,: Initials + surname (J. F. Smith)
% nmft,nmft-def,: User defined author font (\bibnamefont)
% fnm-def,: First names in user defined font (\bibfnamefont)
% nmfted,: Editors in collection like authors font
% nmand-rm,: 'And' in normal font (JONES and JAMES)
% lab,lab-def,: User defined citation font (\citenamefont)
% and-rm,: Cited 'and' in normal font
% yr-par,: Date in parentheses as (May 1993)
% date-nil-x,: If date is empty, then do not produce the surrounding punctuation (parens, brackets)
% tit-qq,: Title and punctuation in double quotes ("Title," ...)
% inproceedings-chapter,: produce pages after chapter, just as in InBook
% jtit-x,: Title is ignored
% inproceedings-chapter,: produce pages after chapter just as in InBook
% article-booktitle,: format booktitle
% article-series,: article can has series
% jtlt-rm,: Journal name normal font
% journal-address,: Include address field (in parentheses) along with journal name
% book-bt,: Field 'booktitle', or if absent field 'title', is book title
% thesis-title-o,: Title is optional: no warning issued if empty
% techreport-institution-par,: format tech report institution like book publisher
% vol-bf,: Volume bold as {\bf vol}(num)
% vnum-x,: Journal vol, without number as 34
% volp-com,: Volume with comma as vol(num), ppp
% jpg-1,: Only start page number
% book-editor-booktitle,: Book permits empty author, produces title before editor in this case
% inbook-editor-booktitle,: Allow using both title/booktitle, both author/editor
% bookaddress,: Italic booktitle followed by bookaddress in roman
% num-xser,: Allows number without series and suppresses word "number"
% number-cap,: Capitalize word 'number' as: "Number 123"
% chapter-cap,: Capitalize word 'chapter' as: 'Chapter 42'
% series-number,: Series number as: 'Springer Lecture Notes No. 125'
% numser-booktitle,: After book title and conference address, and before editors
% ser-vol,: Series, vol. 23
% ser-rm,: format series roman , even when used with volume
% volume-cap,: Capitalize word 'volume', as: 'Volume 7 in Lecture Series'
% ser-ed,: Series and volume after booktitle and before editors
% jnm-x,: Space after journal name
% pg-bk,book-chapter-pages,: As chapter and page: chapter 42, page 345
% pub-date,: Publisher with address and date in parentheses (Oxford, 1994)
% ay-empty-pub-parens-x,: eliminate parentheses altogether if nothing inside
% pre-pub,: Publisher before volume, chapter, pages
% pre-edn,: Edition before publisher
% pre-pub,pre-edn,: Edition, publisher, volume, chapter, pages
% isbn,: Include ISBN for books, booklets, etc.
% issn,: Include ISSN for periodicals
% doi-link,doi,: Doi forms a link to the publication, anchored to the volume or title
% edby,: In booktitle, edited by .. (where .. is names)
% blk-com,: Comma between blocks
% fin-endbibitem,: Command at end instead of period
% pp,: 'Page' abbreviated as p. or pp.

```

```

% ed,: 'Editor' abbreviated as ed. or eds.
% abr,: Abbreviations of such words
% ednx,: 'Edition' abbreviated as 'ed'
% ord,: Numerical editions as 1st, 2nd, 3rd, etc
% jabr,: Abbreviated journal names
% etal-it,: Italic et al
% revdata,eprint,url,url-blk,translation,: Include REVTeX data fields collaboration, eid, eprint
% SLACcitation,: Produce SLACcitation field
% numpages-x,: Do not include numpages field
% url,url-prefix-x,: URL without prefix (default: 'URL ')
% bibinfo,: Reference component tags like \bibinfo in the content of \bibitem
% bibfield,: Element tags like \bibfield in the content of \bibitem
% nfss,: Use LaTeX commands which may not work with Plain TeX
%,{%
% }
% \generate{\file{aipnum4-1.bst}{\MBopts}}
% \endbatchfile
%

```

Between the two files `aipnum.dbj` and `aipnum.long.dbj`, the differences are limited:
`aipnum.dbj` has two lines lacking in `aipauth.dbj`:

```

% ,seq-no%: Citation order (unsorted, like unsrt.bst)
% ,nm-init,ed-au%: Initials + surname (J. F. Smith)
%
```

thus, the “numbered citation” bibliography is sorted by citation order, and the names are give first initial, then last name.

Likewise, `aipauth.dbj` has two lines lacking in `aipnum.dbj`:

```

% ,ay%: Author-year with some non-standard interface
% ,nat%: Natbib for use with natbib v5.3 or later
% ,blkyear%: Missing date left blank
% ,nm-rev%: Surname + initials (Smith, J. F.)
%
```

Thus, the “author-year” bibliography is sorted by author name, and names are given last name first, followed by initials.

Note that `aipnumlong.dbj` is the same as `aipnum.dbj`, except:

- Remove `jtit-x`, `jpg-1`. This means article titles and full page range.
- Add `article-title-o`: article title is not required.
- Remove `nm-init`. This means full names.
- The file to be `\generated` is `aip.dtxaipnum4-1long bst` instead of `aip.dtxaipnum4-1 bst`.

The differences between `aipauthlong.dbj` and `aipauth.dbj` are exactly the same as between `aipnumlong.dbj` and `aipnum.dbj`

To get a banner in the `.blg` file, patch by hand into `apsrev bst`:

```

% FUNCTION {banner.log} {"REVTeX-compatible apsrev.bst 9812" warning$}
%

and invoke banner.log from within begin.bib
We ensure that the journal substyle has the first word in the matter by installing the (default) AIP code later on (see Section 6.24).

\pre@bibdata Set up to write endnotes to a .bib file; its data will be incorporated into the bibliography.
571 \def\pre@bibdata{\jobname\bibdata@app}%

\bibsection We define the sectioning command to use when starting the bibliography (we use \refname).
572 \def\refname{References}%
573 \def\rtx@bibsection{%
574   \@ifx@\empty\refname{%
575     \par\vspace{6\p@ plus 6\p@}%
576   }{%
577     \let\hangfroms@section\hang@froms
578     \expandafter\section\expandafter*\expandafter{\refname}%
579     \nobreaktrue
580   }%
581 }%}

\bibpreamble
\bbsep 582 \let\bibpreamble\empty
\newblock 583 \appdef\setup@hook{%
584   \bbsep\z@\relax
585 }%
586 \def\newblock{\ }%

\bibfont We define the font switch that applies to the body of the bibliography.
587 \appdef\setup@hook{%
588   \def\bibfont{%
589     \preprintsty@sw{}{\footnotesize}%
590     \clubpenalty\clubpenalty
591     \labelsep\z@
592   }%
593 }%
594 \let\place@bibnumber\place@bibnumber@sup

```

6.3.12 Index

```

595 \newenvironment{theindex}{%
596   \columnseprule \z@
597   \columnsep 35\p@
598   \c@secnumdepth-\maxdimen
599   \onecolumngrid@push
600   \section{\indexname}}%

```

```

601 \thispagestyle{plain}%
602 \parindent\z@
603 \parskip\z@ plus.3\p@\relax
604 \let\item\@idxitem
605 \onecolumngrid@pop
606 }{%
607 }%
608 %
609 \def\@idxitem{\par\hangindent 40\p@}
610 %
611 \def\subitem{\par\hangindent 40\p@ \hspace*{20\p@}}
612 %
613 \def\subsubitem{\par\hangindent 40\p@ \hspace*{30\p@}}
614 %
615 \def\indexspace{\par \vskip 10\p@ plus5\p@ minus3\p@\relax}

```

6.3.13 Typesize Processing

The formatting specification for the preprint option is: Times Roman 12 pt, double spacing, with 1-inch margins on letter paper. Paragraphs indented “five spaces”. Display math on standard indent, with equation number flush right in parenthesis, with subequations roman.

That for reprint option is to format similar to the printed journal; with most journals set (approximately analyzed) 10-point, 2-column grid, letter paper.

```

616 \expandafter\def\csname rtx@aip10pt\endcsname{%
617 \let\@currname@class\@currname
618 \def\@currname{aps10pt\substyle@post}%
619 \class@info{Reading file \@currname.\substyle@ext}%
620 \input{\@currname.\substyle@ext}%
621 \let\@currname\@currname@class
622 \class@info{Overriding 10pt}%
623 \aipreprint
624 }%
625 \expandafter\def\csname rtx@aip11pt\endcsname{\csname rtx@aip12pt\endcsname}%
626 \expandafter\def\csname rtx@aip12pt\endcsname{%
627 \let\@currname@class\@currname
628 \def\@currname{aps12pt\substyle@post}%
629 \class@info{Reading file \@currname.\substyle@ext}%
630 \input{\@currname.\substyle@ext}%
631 \let\@currname\@currname@class
632 \class@info{Overriding 12pt}%
633 \aippprint
634 }%

```

\today Procedure \today is used in the article class, but not in this document class.

```

635 \def\today{%
636 \number\day\space
637 \ifcase\month
638 \or January\or February\or March\or April\or May\or June%
639 \or July\or August\or September\or October\or November\or December%

```

```
640 \fi\space
641 \number\year
642 }%
```

6.4 A. Running Title

User-provided running title `\@shorttitle` to be set.

6.5 B. Equation numbering, figure and table numbering

Equations can be numbered throughout, or by section, with appendix equations prepended by the appendix label. Figures and tables are numbered throughout.

6.6 C. Title

Title page may break above abstract, within author list. Title notes are signified by superior letter followed by right parenthesis.

6.7 D. Author footnote

Set short line above these footnotes.

6.8 E. Author

Class option `superscriptaddress` is standard.

```
643 \clo@superscriptaddress
```

6.9 F. Affiliations

Set italic.

6.10 G. Received date

6.11 H. Abstract

Single paragraph, no indent.

6.12 J. Lead Paragraph

Set boldface, flush left before main text, single paragraph. Separated from text by a short centered rule.

6.13 K. Headings

Use labels: ROMAN, LETTER, arabic, letter. Set ALLCAPS, boldface; Initial cap, boldface; Initial cap, bold-italic; Initial cap, italic.

Theorem, proof title followed by colon. Follow author.

6.14 L. Text Footnotes

Not permitted; use endnotes.

6.15 M. Citations and Bibliography

Numerical aip.dtxaipnum.bst, author-year aip.dtxaipaauth.bst, and numbered author-year aip.dtxaipnumauth.bst are the available choices. Numerical is standard, with all styles permitted in journal classes 3a and 4b.

6.16 N. References

Article Title usage:

Article title required in all journals with "unpublished", "to be published", "in press" and "submitted" refs.

Exceptions:

Journal classes 1a,1b,2,4a:

Article title not allowed in published references, except in the case of "in press" or "submitted" (see sample references below).

Journal class 3a:

Article title allowed but not required in author-year references (use must be consistent within a single manuscript).

Journal class 3b:

Article title required in all journal references and report references.

Journal class 4b:

Article title allowed in journal references in author-year mode.

6.17 O. Examples of Numerical References

6.18 P. References in Author-year mode

6.19 Q. Numbered Author-year References

6.20 R. Tables

Placed within text (floated), labeled with Roman numeral.

Table caption placed above table, followed by space, two double lines, space, table column headings, space, single line, table contents, two double lines.

Footnotes labeled with superior lower-case letter, set below table contents.

6.21 S. Figures

Placed within text (floated), labeled with arabic numbers.

Caption set below figure. A citation to be set inline, not superscripted.

6.22 Society defaults

After this society file is read in, we will process the \@journal- and \@pointsize-specific code. Here we define the defaults.

We select **Chaos** as the default journal substyle, because it is the most permissive in terms of bibliography and citation style, and it is formatted in two column in the reprint style.

```
644 \def\@journal@default{cha}%
645 \def\@pointsize@default{12}%
```

6.23 Journal-Specific Code

For AIP journals, we supply code specific to JCP, POP, RSI, JAP, APL, CHA, POF, BMF, RSE, JMP.

6.23.1 jcp

A member of the journal class 1a.

```
646 \def\rtx@aipjcp{%
647   \typeout{Using journal substyle \@journal.}%
648   \ifbooleanfalse{\authoryear}{%
649     End of jcp code.
650   }%
```

6.23.2 pop

A member of the journal class 1a.

```
650 \def\rtx@aippop{%
651   \typeout{Using journal substyle \@journal.}%
652   \ifbooleanfalse{\authoryear}{%
653     End of pop code.
654   }%
```

6.23.3 rsi

A member of the journal class 1a.

```
654 \def\rtx@aiprsi{%
655   \typeout{Using journal substyle \@journal.}%
656   \ifbooleanfalse{\authoryear}{%
657     End of rsi code.
658   }%
```

6.23.4 jap

Sole member of the journal class 1b.

No running title.

```
658 \def\rtx@aipjap{%
659   \typeout{Using journal substyle \@journal.}%
660   \@booleanfalse\authoryear@sw
661   \let\@runningtitle\@empty
662 }%
```

Journal class 1b uses the (superscript) numerical citation style by default.

End of *jap* code.

6.23.5 apl

Sole member of the journal class 2.

No running title.

```
663 \def\rtx@aipapl{%
664   \typeout{Using journal substyle \@journal.}%
665   \@booleanfalse\authoryear@sw
666   \let\@runningtitle\@empty
667 }%
```

Journal class 2 uses the (superscript) numerical citation style by default.

End of *apl* code.

6.23.6 cha

Sole member of the journal class 3a.

```
668 \def\rtx@aipcha{%
669   \typeout{Using journal substyle \@journal.}%
670   \@booleanfalse\ainp@jtidx@sw
671 }%
```

Article titles are allowed.

End of *cha* code.

6.23.7 pof

Sole member of the journal class 3b.

```
672 \def\rtx@aippof{%
673   \typeout{Using journal substyle \@journal.}%
674   \@booleanfalse\authoryear@sw
675   \@booleanfalse\ainp@jtidx@sw
```

Journal class 3b uses the (superscript) numerical citation style by default. Article titles are required, so we include them if available, but if absent, we can do no more than make a warning in the *.blg*.

End of pof code.
676 }%

6.23.8 bmf

A member of the journal class 4a, the Biomicrofluidics journal is single column.

677 \def\rtx@aipbmf{
678 \typeout{Using journal substyle \@journal.}}%

Journal class 4a uses the (superscript) numerical citation style by default. Journal is formatted in a single column.

679 \@booleanfalse\authoryear@sw
680 \@booleanfalse\twocolumn@sw

End of bmf code.

681 }%

6.23.9 rse

A member of the journal class 4a.

682 \def\rtx@aiprse{
683 \typeout{Using journal substyle \@journal.}}%

Journal class 4a uses the (superscript) numerical citation style by default.

684 \@booleanfalse\authoryear@sw

End of rse code.

685 }%

6.23.10 jmp

Sole member of the journal class 4b, Journal of Mathematical Physics is single column. For an example of `itemize`, see JMP_122901_1 (48).

686 \def\rtx@aipjmp{
687 \typeout{Using journal substyle \@journal.}}%

Article titles are allowed. Journal is formatted in a single column.

688 \@booleanfalse\ainp@jtidx@sw
689 \@booleanfalse\twocolumn@sw

End of jmp code.

690 }%

6.24 Establish AIP Defaults

\footinbib@sw All AIP journals invoke the `footinbib` option.
691 \@booleantrue\footinbib@sw

\place@bibnumber We install code that will govern the style in which \cite commands are formatted, \\@bibstyle select the presentation for \bibitems and control the BIBTEX processing.

\bibpunct Note that a journal substyle may override these settings. Likewise, document preamble may itself invoke \bibpunct or \bibliographystyle, thereby overriding these settings and those of the journal substyle.

The numbered citations of aipnum and aipauthnum are compatible with footinbib and the compression and coalescing features of natbib, while aipauth's author-year citations are not. Therefore, we de-select such options if we are selecting author-year citations.

Note on natbib presets: aipnum and aipauthnum uses the Chicago \bibpunct style; while aipauth uses that of Nature.

Note on \NAT@mcite: if not using numerical citations, we set \NAT@mcite to a lower value, to turn off the mcite semantics of natbib.

```

692 \let\place@bibnumber\place@bibnumber@sup
693 \appdef\setup@hook{%
694   \authoryear@swi{%
695     \aip@jtidx@swi{%
696       \def\@bibstyle{aipauth\substyle@post}{%
697     }{%
698       \def\@bibstyle{aipauth\substyle@post long}{%
699     }{%
700       \authornum@swi{%
701         \bibpunct{}{}{,}{s}{\textsuperscript{,}}{%
702           \let\onlinecite\rev@citealpnum
703         }{%
704           \bibhang10\p@
705           \bibpunct{(%}
706             ){%
707               )}{;}{a}{,}{,}{%
708             \booleanfalse\footinbib@sw
709             \let\NAT@mcite@one
710             \let\NAT@sort@z@%
711             \def\NAT@cmprs{\z@}{%
712               \let\NAT@def@citea\rtx@def@citea
713               \let\NAT@def@citea@close\rtx@def@citea@close
714             }{%
715           }{%
716           \aip@jtidx@swi{%
717             \def\@bibstyle{aipnum\substyle@post}{%
718           }{%
719             \def\@bibstyle{aipnum\substyle@post long}{%
720           }{%
721             \bibpunct{}{}{,}{s}{\textsuperscript{,}}{%
722               \let\onlinecite\rev@citealpnum
723             }{%
724           }{%
725             \def\make@footnote@endnote{%
726               \footinbib@sw{%

```

```

727 \authoryear@sw{\authornum@sw{\false@sw}{\true@sw}}{\false@sw}%
728 {}{%
729   \ltx@footnote@push
730   \def\thempfn{Note\thefootnote}%
731   \let\ltx@footmark\rev@citemark
732   \let\ltx@foottext\rev@endtext
733   \appdef\class@enddocumenthook{\auto@bib}%
734   \let\printendnotes\relax
735 }%
736 }{%
737 }%
738 \def\aipreprint{%
739 }%
740 \def\aippreprint{%
741 }%
742 %</package>

```

Here ends the programmer's documentation.

Index

| Symbols | |
|--------------------------------------|--|
| .bbi | 22 |
| .bib | 10 |
| .blg | 25, 31 |
| .bst | 4, 22 |
| .dbj | 4 |
| .dtx | 5 |
| .ins | 5 |
| .rtx | 8 |
| \@par | 295 |
| \@afterheading | 212, 356 |
| \@afterindentfalse | 212, 356 |
| \@appendixcntformat | 553 |
| \@author@parskip | 271 |
| \@bibstyle | 571, 692 |
| \@booleanfalse | 158, 161, 162, 535, 648, 652, 656, 660, 665, 670, 674, 675, 679, 680, 684, 688, 689, 708 |
| \@booleantrue | 154, 155, 160, 163–165, 221, 272, 691 |
| \@clubpenalty | 590 |
| \@currname | 617–621, 627–631 |
| \@currname@class | 617, 621, 627, 631 |
| \@dottedtocline | 532 |
| \@email | 243 |
| \@evenfoot | 182, 191, 327 |
| \@evenhead | 180, 188, 319 |
| \@firstofone | 9 |
| \@flushglue | 230, 231, 235, 537 |
| \@fnsymbol | 206 |
| \@fnsymbol@latex | 206 |
| \@gobble@leavemode@uppercase | 291, 300 |
| \@gobble@tw@ | 490, 492 |
| \@hang@from | 369 |
| \@hang@froms | 577 |
| \@hangfrom | 385, 449 |
| \@hangfrom@ | 16 |
| \@hangfrom@appendix | 553 |
| \@hangfrom@section | 224, 385, 555 |
| \@hangfrom@section@preprintsty | 224, 449 |
| \@hangfroms@appendix | 553 |
| \@hangfroms@section | 386, 556, 577 |
| \@idxitem | 604, 609 |
| \@if@empty | 561, 564 |
| \@ifnum | 336 |
| \@ifvmode | 294 |
| \@ifx@empty | 574 |
| \@journal | 9, 30 |
| \@journal | 647, 651, 655, 659, 664, 669, 673, 678, 683, 687 |
| \@journal@default | 644 |
| \@makefnmark | 548 |
| \@makefntext | 541 |
| \@nobreaktrue | 579 |
| \@oddfoot | 181, 190, 320, 327 |
| \@oddhead | 179, 189, 314, 319 |
| \@onefilewithoptions | 9 |
| \@pnumwidth | 478 |
| \@pointsize | 30 |
| \@pointsize@default | 645 |
| \@preprint | 317 |
| \@runningtitle | 179, 180, 188, 189, 196, 315, 661, 666 |
| \@secCntformat | 368 |
| \@secPenalty | 496, 517 |
| \@sectionCntformat | 557 |
| \@shorttitle | 28 |
| \@shorttitle | 196 |
| \@society | 9 |
| \@startsection | 371, 388, 403, 419, 428, 437, 451, 464 |
| \@startsection@hook | 365 |
| \@tempa | 135, 140, 141 |
| \@textsuperscript | 274 |
| \@thefnmark | 275 |
| \@tocrmarg | 479 |
| \@totallleftmargin | 211, 234, 288 |
| _ | 39 |

| | |
|---|--|
| \u . . . | 31, 45, 57, 58, 62, 75, 76, 90, 96, 101, 107, 108, 299, 548, 564, 570, 586 |
| A | |
| \addtocontents | 484, 486 |
| \adjust@abstractwidth | <u>208</u> , 217, 304, 310 |
| \affil@cutoff | <u>14</u> |
| \affil@cutoff | <u>282</u> |
| aip document class | <u>1</u> |
| aip document class option | <u>2</u> , <u>3</u> , <u>9</u> |
| aip.dtx | <u>3</u> |
| aip.ins | <u>3</u> |
| aip.pdf document class | <u>4</u> |
| aip.rtx | <u>1</u> , <u>3</u> , <u>8</u> , <u>9</u> |
| aip.rtx document class | <u>4</u> |
| \aip@jtidx@sw | <u>10</u> |
| \aip@jtidx@sw | 158, 160, 670, 675, 688, 695, 716 |
| aipauth | <u>33</u> |
| aipauth.bst | <u>21</u> , <u>22</u> |
| aipauth.dbj | <u>25</u> |
| aipauthlong.dbj | <u>25</u> |
| aipauthnum | <u>33</u> |
| aipnum | <u>33</u> |
| aipnum.bst | <u>21</u> , <u>22</u> |
| aipnum.dbj | <u>23</u> , <u>25</u> |
| aipnumlong.dbj | <u>25</u> |
| \apppreprint | 633, <u>740</u> |
| \apppreprint | 623, <u>738</u> |
| \altaffilletter@sw | 272 |
| apl document class option . . . | <u>3</u> , <u>31</u> |
| \appdef | 166, 171, 219, 361, 365, 583, 587, 693, 733 |
| \appendix | <u>553</u> |
| \appendixname | 570 |
| aps.rtx | <u>9</u> |
| apsrev.bst | <u>25</u> |
| \array@row@pre@float | <u>536</u> |
| \array@row@pst@float | <u>536</u> |
| article document class | <u>3</u> |
| \AtEndOfClass | <u>9</u> |
| auguide.pdf | <u>1</u> |
| \author | 38 |
| B | |
| \baselineskip | 240 |
| \baselineskipstretch | 333, 542 |
| \bf | 504, 519 |
| \bibdata@app | 571 |
| \bibfont | <u>587</u> |
| \bibhang | 704 |
| \bibitem | <u>33</u> |
| \bibliographystyle | <u>22</u> , <u>33</u> |
| \bibpreamble | <u>582</u> |
| \bibpunct | <u>33</u> |
| \bibpunct | 692 |
| \bibsection | <u>572</u> |
| \bibsep | <u>582</u> |
| bibtex/bst/aip | <u>4</u> |
| bmf document class option . . . | <u>3</u> , <u>32</u> |
| book document class | <u>3</u> |
| \byrevtex | 321, 329 |
| \byrevtex@sw | 329 |
| C | |
| \c@page | 202 |
| \c@secnumdepth | 598 |
| cha document class option . . . | <u>3</u> , <u>31</u> |
| \change@journal | 143–152 |
| \checkindate | 181, 182, 188, 189, 324 |
| \cite | <u>33</u> |
| \class@enddocumenthook | 733 |
| \class@info | 142, 619, 622, 629, 632 |
| \classname | 29, 56, 76, 113, 118 |
| \classoption | 81 |
| \clo@superscriptaddress . . . | 643 |
| \clubpenalty | 590 |
| \code specific to the JMP placeholder | <u>9</u> |
| \columnsep | 597 |
| \columnseprule | 596 |
| \copyright | 31 |

| | |
|---------------------------------|------------------------------------|
| corollary environment | 19 |
| \count@ | 336, 351 |
| \crcr | 343 |
| \csname | 16, 20, 368, 570, 616, 625, 626 |
| custom-bib document class . . . | 22 |
| D | |
| \date | 41 |
| doc/latex/aip | 4 |
| \DocInput | 8 |
| document class | |
| aip | 1 |
| aip.pdf | 4 |
| aip.rtx | 4 |
| article | 3 |
| book | 3 |
| custom-bib | 22 |
| ltxdoc | 5, 8 |
| natbib | 33 |
| revtex4 | 9 |
| document class option | |
| aip | 2, 3, 9 |
| apl | 3, 31 |
| bmf | 3, 32 |
| cha | 3, 31 |
| footinbib | 32, 33 |
| jap | 3, 31 |
| jcp | 3, 30 |
| jmp | 3, 32 |
| pof | 3, 31, 32 |
| pop | 3, 30 |
| preprint | 10 |
| rse | 3, 32 |
| rsi | 3, 30 |
| superscriptaddress | 28 |
| document environment | 5 |
| \doublerulesep | 539, 540 |
| driver | 5 |
| E | |
| \email | 243 |
| \endcsname | 16, 20, 368, 570, 616, 625, 626 |
| \endinput | 136 |
| environment | |
| corollary | 19 |
| document | 5 |
| example | 19 |
| itemize | 32 |
| Lead-in_paragraph | 16 |
| lemma | 19 |
| proof | 19 |
| proposition | 19 |
| quotation | 16 |
| remark | 19 |
| thebibliography | 21 |
| theorem | 19 |
| example environment | 19 |
| F | |
| \false@sw | 727 |
| file | |
| .bbl | 22 |
| .bib | 10 |
| .blg | 25, 31 |
| bst | 4, 22 |
| .dbj | 4 |
| .dtx | 5 |
| .ins | 5 |
| .rtx | 8 |
| aip.dtx | 3 |
| aip.ins | 3 |
| aip.rtx | 1, 3, 8, 9 |
| aipauth | 33 |
| aipauth.bst | 21, 22 |
| aipauth.dbj | 25 |
| aipauthlong.dbj | 25 |
| aipauthnum | 33 |
| aipnum | 33 |
| aipnum.bst | 21, 22 |
| aipnum.dbj | 23, 25 |
| aipnumlong.dbj | 25 |
| aps.rtx | 9 |
| apsrev.bst | 25 |
| auguide.pdf | 1 |
| bibtex/bst/aip | 4 |
| doc/latex/aip | 4 |
| driver | 5 |
| makebst.tex | 22 |
| makeindex | 3 |

| | | |
|---|---|---|
| natbib | | 21 |
| README | | 3, 5 |
| tex/latex/aip | | 4 |
| \file | | 67, 70, 85, 86, 95, 101, 104, 105, 107, 110, 111, 116, 120, 122–124 |
| footinbib | document class option | 32, 33 |
| \footinbib@sw | | 691, 708, 726 |
| \footnotesize | | 303, 309, 589 |
| \frontmatter@indent | | 229, 238, 247, 253 |
| \frontmatter@above@affilgroup | | 244 |
| \frontmatter@above@affiliation | | 246 |
| \frontmatter@above@affiliation@script | | 246 |
| \frontmatter@abstractfont | | 215 |
| \frontmatter@abstractheading | | 214 |
| \frontmatter@affiliationfont | | 222, 252 |
| \frontmatter@authorbelow | | 279 |
| \frontmatter@authorformat | | 12 |
| \frontmatter@authorformat | | 229 |
| \frontmatter@collaboration@above | | 257 |
| \frontmatter@footnote@produce | | 477 |
| \frontmatter@footnote@produce@footnote | | 477 |
| \frontmatter@init | | 361 |
| \frontmatter@keys@format | | 308 |
| \frontmatter@makefnmark | | 271 |
| \frontmatter@PACS@format | | 301 |
| \frontmatter@RRAP@format | | 283 |
| \frontmatter@setup | | 259 |
| \frontmatter@title@above | | 262 |
| \frontmatter@title@below | | 262 |
| \frontmatter@title@format | | 262 |
| G | | |
| \generate | | 25 |
| \GenericWarning | | 137 |
| \GetFileInfo | | 26 |
| H | | |
| \hb@xt@ | | 321, 359, 506, 547 |
| \heading@cr | | 188, 189 |
| \hline | | 539, 540 |
| I | | |
| \ignorespaces | | 505 |
| \indexname | | 600 |
| \indexspace | | 615 |
| \it | | 222, 255 |
| \item | .. | 99, 109, 112, 117, 121, 604 |
| itemize environment | | 32 |
| \itshape | | 414, 425, 473 |
| J | | |
| jap document class option .. | | 3, 31 |
| jcp document class option .. | | 3, 30 |
| jmp document class option .. | | 3, 32 |
| L | | |
| \l@sections | | 514, 522, 525 |
| \l@f@section | | 516 |
| \l@figure | | 532, 534 |
| \l@paragraph | | 527 |
| \l@part | | 496 |
| \l@section | ... 489, 490, 494, | 511 |
| \l@section@saved | | 489, 494 |
| \l@subparagraph | | 528 |
| \l@subsection | | 521 |
| \l@subsubsection | | 524 |
| \l@table | | 534 |
| \labelsep | | 591 |
| \Large | | 264 |
| \large | | 504 |
| \lastbox | | 339 |
| \LaTeX | .. 57, 58, 68, 76, 87, 90, 101, 107, 108, 110, 115 | |
| \LaTeXe | | 62, 75, 96 |
| Lead-in\paragraph environment | | 16 |
| \leaders | | 359 |
| \leftskip | 210, 211, 233, 234, 287, 288, 543, 546, 547 | |
| lemma environment | | 19 |
| \let | | 9 |
| \let@environment | .. 362, 363, | 366 |

| | |
|--|--|
| \listoffigures | 531 |
| \listoftables | 533 |
| \lquote | 22 |
| \ltx@footmark | 731 |
| \ltx@footnote@push | 729 |
| \ltx@foottext | 732 |
| ltxdoc document class | 5, 8 |
| \ltxu@dotsep | 481 |
| M | |
| \make@footnote@endnote ... | 725 |
| makebst.tex | 22 |
| makeindex | 3 |
| \MakeTextUppercase | 16 |
| \MakeTextUppercase ... | 300, 385, 386, 449 |
| \maketitle | 42 |
| \maxdimen | 598 |
| N | |
| \NAT@cmprs | 711 |
| \NAT@def@citea | 712 |
| \NAT@def@citea@close | 713 |
| \NAT@mcite | 33 |
| \NAT@mcite | 709 |
| \NAT@sort | 710 |
| natbib | 21 |
| natbib document class | 33 |
| \newblock | 582 |
| \noalign | 539, 540 |
| \normalfont .. | 260, 275, 378, 395, 410, 425, 434, 444, 458, 471 |
| \normalsize | 425, 434 |
| O | |
| \onecolumngrid | 199 |
| \onecolumngrid@pop | 605 |
| \onecolumngrid@push | 599 |
| \onlinecite | 702, 722 |
| P | |
| \pagestyle | 10 |
| \parindent .. | 209, 422, 431, 500, 544, 602 |
| \parskip .. | 241, 268, 289, 305, 603 |
| \place@bibnumber | 594, 692 |
| \place@bibnumber@sup .. | 594, 692 |
| placeholder | |
| <i>(code specific to the JMP)</i> .. 9 | |
| pof document class option .. | 3, 31, 32 |
| pop document class option .. | 3, 30 |
| \pre@bibdata | 571 |
| \prepdef | 553 |
| \preprint | 15 |
| \preprint | 335, 338, 342 |
| preprint document class option .. | 10 |
| \preprint@count | 335, 351 |
| \preprint@cr | 342, 350 |
| \preprint@hlist | 338, 352 |
| \preprint@sw | 331 |
| \preprintsty@sw | 10 |
| \preprintsty@sw .. | 163, 167, 172, 220, 254, 264, 289, 323, 589 |
| \print@toc | 485, 531, 533 |
| \printendnotes | 734 |
| \produce@preprints | 317, 330 |
| proof environment | 19 |
| proposition environment | 19 |
| \ProvidesFile | 4, 6 |
| \ps@article | 175, 187 |
| \ps@preprint | 173, 178 |
| \ps@titlepage | 313 |
| \punct@RRAP | 299 |
| Q | |
| \quad .. | 181, 182, 188, 189, 324, 368 |
| quotation environment | 16 |
| R | |
| \raggedcolumn@sw | 535 |
| README | 3, 5 |
| \RecordChanges | 24 |
| \refname | 26 |
| \refname | 166, 572, 574, 578 |
| remark environment | 19 |
| \renewenvironment | 197 |
| \RequirePackage | 13, 15, 18 |
| \rev@citealpnum | 702, 722 |
| \rev@citemark | 731 |
| \rev@endtext | 732 |
| \revtex | 45, 75, 128 |
| revtex4 document class | 9 |

| | |
|---|---|
| \rquote | 22 |
| rse document class option | 3, 32 |
| rsi document class option | 3, 30 |
| \rtx@aipapl | 663 |
| \rtx@aipbmf | 677 |
| \rtx@aipcha | 668 |
| \rtx@aipjap | 658 |
| \rtx@aipjcp | 646 |
| \rtx@aipjmp | 686 |
| \rtx@aippof | 672 |
| \rtx@aippop | 650 |
| \rtx@aiprse | 682 |
| \rtx@aiprsi | 654 |
| \rtx@bibsection | 573 |
| \rtx@def@citea | 712 |
| \rtx@def@citea@close | 713 |
| S | |
| \samepage | 306, 311 |
| \sanitize@url | 243 |
| \sc | 87 |
| \section | 16 |
| \section | 74, 83, 223, 370, 578, 600 |
| \section@preprintsty | 223, 436 |
| \sectionmark | 184, 193 |
| \set@tocdim@pagenum | 498 |
| \setup@hook | 166, 171, 219, 583, 587, 693 |
| \sffamily | 239, 265, 380, 397, 412 |
| \showKEYS@sw | 10 |
| \showKEYS@sw | 164 |
| \showPACS@sw | 10 |
| \showPACS@sw | 164 |
| \skip@ | 230, 235, 502, 505 |
| \small | 216, 254, 285, 334, 379, 396, 411, 472 |
| \StopEventually | 6 |
| \string | 484, 486 |
| \subitem | 611 |
| \ subparagraph | 427 |
| \ subsection | 93, 225, 387 |
| \ subsection@preprintsty | 225, 436 |
| \ subsectionmark | 185, 194 |
| \substyle@ext | 134, 619, 620, 629, 630 |
| \substyle@post | 618, 628, 696, 698, 717, 719 |
| \subsubitem | 613 |
| \subsubsection | 226, 402 |
| \subsubsection@preprintsty | 226, 436 |
| superscriptaddress document class option | 28 |
| T | |
| \tableleft@skip@float | 536 |
| \tableofcontents | 72, 483 |
| \tabmid@skip@float | 536 |
| \tabright@skip@float | 536 |
| \TeX | 29, 62, 110, 128, 329 |
| tex/latex/aip | 4 |
| \textsuperscript | 701, 721 |
| \thanks | 30, 39 |
| thebibliography environment | 21 |
| \thefootnote | 730 |
| \thempfn | 730 |
| theorem environment | 19 |
| \thepage | 181, 182, 188, 189, 323 |
| \thispagestyle | 201, 601 |
| \title | 28 |
| \titlepage | 197 |
| \titlepage@sw | 221 |
| \toc@post | 530 |
| \toc@post@auto | 530 |
| \toc@pre | 529 |
| \toc@pre@auto | 529 |
| \tocdepth@munge | 484, 488 |
| \tocdepth@restore | 486, 493 |
| \tocdim@min | 512 |
| \tocleft@ | 511 |
| \tocleft@pagenum | 501 |
| \today | 27 |
| \today | 635 |
| \true@sw | 727 |
| \twocolumn@sw | 198, 680, 689 |
| \twocolumngrid | 204 |
| U | |
| \unhbox | 506 |
| \unskip | 295, 505 |
| \url | 14, 49, 53, 54, 59 |

V

\vss 345
\vtop 332

W

\wastwocol@sw 198, 204

Z

\z@skip 268, 305, 506

Change History

4.1b
General: Beta candidate b 6